

## BLOUBERG COUNCIL RAPID ASSESSMENT OF ADOLESCENT SEXUAL AND REPRODUCTIVE HEALTH (ASRHR)



JANUARY 2022

This fact sheet is a summary of the findings of the ASRHR Rapid Assessment undertaken in Blouberg Council as part of an eight-country study<sup>1</sup> from November 2019 to December 2020. The research aims to strengthen youth-led and focused efforts to promote ASRHR through gender and youth-responsive local governance. Gender Links South Africa conducted the study in 29 Centers of Excellence for Gender in Local Government.<sup>2</sup> In Blouberg, the study covered 4 clinics; 173 respondents: 49% young women, 1% gender non-conforming, and 50% young men (see table overleaf). This fact sheet should be read together with the South Africa and the Southern Africa ASRHR Rapid Assessment research pamphlets. Key findings include:

## **Accessibility**

- Forty-six percent of respondents reported being within 10 km of a clinic.
- Responses to whether the clinics open after school were high at 89%.
- Over a third (69%) of respondents, said that clinics open during weekends. Indermark Clinic (2%) had the least responses.
- The majority (95%) of respondents said that the clinic had a comfortable waiting area.
- None of the clinics charged fees for their services.

## Quality of care

- Almost all (99%) of respondents said they were treated with respect.
- Eighty-seven percent of young people indicated that there was privacy at the clinics.
- Ninety-seven percent of respondents said they were treated with confidentiality.

- A third (30%) of respondents said that clinics did not require their parents to be present. The responses were varied, ranging from 5% at Indermark Clinic to 61% at Avon Clinic.
- The majority (87%) of young people indicated that health workers spent sufficient time with them.
- Ninety-five percent of young people said they received appropriate information. Availability of information is a key component of ASRHR that gives young people a #VoiceandChoice.

## Sexual and reproductive health services

- Most young people (80%) requested contraceptives. The majority (95%) of those who requested contraceptives received them. This high percentage of young people requesting and receiving contraceptives is encouraging as access to contraceptives is key to ensure that ASRH is prioritised.
- The majority (90%) of young women requested a pregnancy test and 96% of them received it. Twenty-nine percent of young women were pregnant at that time.
- At 86%, the overall demand for male circumcision, which has been shown to reduce the spread of HIV and AIDS, is high. It is encouraging that 99% of those who requested male circumcision received an appointment.
- The majority 85% of youth requested PREP while 86% requested post-exposure prophylaxis (PEP).
- Ninety-eight percent of respondents requested an HIV test. The majority (85%) of those who asked for this test received it.
- A significant proportion (92%) of respondents said health workers asked about their mental health. This is encouraging, as ASRHR and mental health are closely linked.
- Ninety-two percent of young people said that a follow-up appointment was set up whilst 93% of young people were referred to a relevant facility.

FOR MORE INFORMATION go to:

https://genderlinks.org.za/what-we-do/governance/local-action-for-voice-and-choice/

Contact details: Gender Links South Africa Address: 9 Derrick Avenue, Cyrildene, Johannesburg, 2198 Tel: +27(0)11 029 0006 / +27(0)11 028 2410







Botswana, Eswatini, Lesotho, Madagascar, Mauritius, South Africa, Zambia and

Botswana, Iswaini, Lesania, Madagasca, Manakayasca, Epilen Brak, Friemersheim, Great Brak, Harlenbos, Herbertsdale, Joburg City-Oampe Farm-Region G, Joburg City-Soweto-Region D, Joe Slovo, Kwanonqaba, Lepelle Nkumpi, Midvaal, Mogale City, Molemole, Mossel Bay, Polokwane, Sonskyn Valley, eThekwini Ward 101, eThekwini Ward 11, eThekwini Ward 26, eThekwini Ward 31, eThekwini Ward 34, eThekwini Ward 68, eThekwini Ward 98 (Umkomaas), eThekwini Ward 98 (Umnini).

Indicator			1	,		
Semale	Indicator	Blouberg	Avon Clinic			
\$ famale	Total sample	173	47	45	41	40
% gender non-conforming         1%         0%         0%         2%         0%           Logidic Information on health Indiffies         50%         49%         53%         49%         50%           Health Indiffies Indiffies         46%         32%         33%         71%         48%           Health Indiffy very proper of the conference of the conf	% female					
Logistic Information on health facilities	% gender non-conforming					
	% male	50%	49%	53%	49%	50%
Time facility opens after school? \$	Logistic information on health facilities					
The facility opens on weekends	Health facility within 10km from your home %	46%	32%	38%	71%	48%
Time facility has a conflorable wailing and consultation area? \$ 95% 87% 100% 95% 95% 95% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0%	The facility opens after school? %	89%	100%	100%	85%	68%
Dees the facility charge a fee 9 %		69%	100%	100%	2%	65%
None   None   None   None   None   None   None   Outlify of care	The facility has a comfortable waiting and consultation area? %	95%	87%	100%	93%	100%
Carality of care	Does the facility charge a fee? %	0%	0%	0%	0%	0%
Peer counsellors available   99%   100%   100%   100%   98%   100%   100%   98%   100%   100%   98%   100%   100%   98%   100%	Average fee in USD	None	None	None	None	None
Young people treated with respect \$         99%         100%         100%         98%           Young people are leaded without parent present \$         90%         61%         18%         5%         33%           Young people have privacy \$         87%         98%         100%         98%         90%           Health workers spend sufficient lime with young people \$         87%         98%         100%         98%         90%           Health workers spend sufficient lime with young people \$         87%         98%         100%         93%         90%           Seval and reproductive health services \$60         87%         96%         100%         93%         90%           Seval and reproductive health services \$60         80%         96%         47%         93%         83%           Young people who requested contraceptives \$60         80%         96%         100%         97%         85%           Young women who requested a pregnancy test         90%         67%         95%         100%         100%           Young women who requested a pregnancy test         90%         67%         95%         100%         100%           Young women who requested a pregnancy test         90%         67%         95%         100%         100%         100%	Quality of care					
Young people are freated without parent present %   30%   61%   18%   5%   35%   50%   5	Peer counsellors available %	99%	100%	100%	98%	100%
Young people have privacy %         87%         98%         100%         88%         59%           Young people have confidentiality %         97%         96%         100%         98%         90%           Health workers spend sufficient fime with young people %         87%         96%         100%         93%         90%           Young people who prequested contraceptives         80%         95%         96%         100%         93%         90%           Seval and reproductive health services (%)         80%         96%         47%         93%         83%	Young people treated with respect %	99%	100%	100%	100%	98%
Young people have confidentiality %         97%         98%         100%         98%         90%           Health workers spend sufficient lime with young people %         97%         96%         100%         95%         63%           Young people receive appropriate information %         95%         96%         100%         93%         90%           Avoing people who requested contraceptives         80%         96%         47%         93%         83%           % Young people who requested contraceptives that received contraceptives         95%         96%         100%         97%         85%           % Young women who requested a pregnancy test         90%         67%         95%         100%         100%         100%           % Young women who requested a pregnancy test         96%         100%         95%         90%         100%         <	Young people are treated without parent present %	30%	61%	18%	5%	35%
Health workers spend sufficient time with young people % 97% 98% 100% 93% 90%   90		87%	98%	100%	88%	58%
Young people receive appropriate information %         95%         96%         100%         93%         90%           Sexual and reproductive health services (%)         Waterial health         Waterial health         Waterial health           % Young people who requested contraceptives         80%         98%         47%         93%         83%           % Young people who requested contraceptives that received         95%         98%         100%         97%         85%           % Young women who requested a pregnancy test         90%         67%         95%         100%         100%           % Young women who requested a pregnancy test         96%         100%         95%         90%         67%         95%         100%           % Young women who requested pregnancy test         96%         100%         95%         90%         100%           % Fregnand young women who requested and tendal check-up         100% <t< td=""><td>Young people have confidentiality %</td><td>97%</td><td>98%</td><td>100%</td><td>98%</td><td>90%</td></t<>	Young people have confidentiality %	97%	98%	100%	98%	90%
Sexual and reproductive health services (%)	Health workers spend sufficient time with young people %	87%	98%	100%	85%	63%
Material health         % Toung people who requested contraceptives         80%         98%         100%         97%         85%           % Young people who requested contraceptives that received         95%         98%         100%         97%         85%           % Young women who requested a pregnancy test         90%         67%         95%         100%           % Young women who requested a pregnancy test         96%         100%         95%         90%           % Young women who were pregnant         29%         13%         0%         52%         55%           % Young women who requested ante-natal check-up         100%         100%         100%         100%           % pregnant women who requested prevention of mother-to-child         100%         100%         100%         100%           % pregnant women who requested PMICT that received PMICT         84%         100%         91%         73%           % Young women who requested post-natal care         71%         52%         52%         81%         100%           % Young women who requested post natal care who received post-natal care         71%         48%         52%         86%         100%           % Young women who requested help with breast feeding         71%         48%         52%         86%         100%	Young people receive appropriate information %	95%	96%	100%	93%	90%
% Young people who requested contraceptives         80%         98%         47%         93%         83%           % Young people who requested contraceptives that received contraceptives         95%         98%         100%         97%         85%           % Young women who requested a pregnancy test         90%         67%         95%         100%         100%           % Young women who received a pregnancy test         96%         100%         95%         90%         100%           % Young women who received a pregnant         29%         13%         0%         52%         55%           % Pregnant young women who requested ante-natal check-up         100%         100%         100%         100%           % pregnant young women who requested prevention of mather-to-child transmission (PMTCT)         100%         100%         100%         100%           % Young women who requested post-natal care         71%         52%         52%         81%         100%           % Young women who requested post natal care who received psyl with breast feeding         71%         48%         52%         84%         100%           % Young women who requested help with breast feeding         71%         48%         52%         84%         100%           % Young women who requested pads         78%         5						
% Young people who requested contraceptives that received contraceptives         95%         98%         100%         97%         85%           x Young women who requested a pregnancy test         90%         67%         95%         100%         100%           % Young women who requested a pregnancy test         96%         100%         95%         90%         100%           % Young women who received a pregnancy test         96%         100%         95%         90%         100%           % Young women who requested pregnant young women who requested ante-natal check-up         100%         100%         100%         100%           % pregnant young women who requested prevention of mother-to-child transmission (PMICT)         100%         100%         100%         100%           % Young women who requested PMICT that received PMICT         84%         100%         91%         73%           % Young women who requested post-natal care         71%         52%         52%         81%         100%           % Young women who requested post natal care who received pset natal care         98%         100%         91%         100%           % Young women who requested high with breast feeding         71%         48%         52%         86%         100%           % Young women who requested pods         78%         58%<		0.007	0.007	A 707	0207	0207
contraceptives         % Young women who requested a pregnancy test         90%         67%         95%         100%         100%           % Young women who received a pregnancy test         96%         100%         95%         90%         100%           % Young women who were pregnant         29%         13%         0%         52%         55%           % pregnant young women who requested ante-natal check-up         100%         100%         100%         100%           % pregnant young women who requested prevention of mother-to-child transmission (PMTCT)         100%         100%         100%         100%           % pregnant women who requested PMTCT that received PMTCT         84%         100%         91%         73%         73%         73%         73%         81%         100%	<del>-</del>					
% Young women who received a pregnancy test         96%         100%         95%         90%         100%           % Young women who were pregnant         29%         13%         0%         52%         55%           % pregnant young women who requested ante-natal check-up         100%         100%         100%         100%           % pregnant women who requested prevention of mother-to-child transmission (PMICT)         100%         100%         100%         100%           % pregnant women who requested PMICT that received PMICT         84%         100%         91%         73%           % Young women who requested post-natal care         71%         52%         52%         81%         100%           % Young women who requested post natal care who received post-natal care         98%         100%         91%         100%           % Young women who requested help with breast feeding         71%         48%         52%         86%         100%           % Young women who requested that received help with breast feeding         78%         58%         71%         90%         95%           % Young women who requested pads         78%         58%         71%         90%         95%           % of those who requested pads that received pads         78%         58%         71%         90%	contraceptives	75/6	70/0	100%	77/0	03/0
% Young women who were pregnant         29%         13%         0%         52%         55%           % pregnant young women who requested ante-natal check-up         100%         100%         100%         100%           % pregnant young women who requested prevention of mather-to-child transmission (PMTCT)         100%         100%         100%         100%           % pregnant women who requested prevention of mather-to-child transmission (PMTCT)         84%         100%         91%         73%           % Young women who requested PMTCT that received PMTCT         84%         100%         91%         73%           % Young women who requested post-natal care         71%         52%         52%         81%         100%           % Young women who requested post natal care who received post-natal care         98%         100%         91%         100%           % Young women who requested help with breast feeding         71%         48%         52%         86%         100%           % Young women who requested that received help with breast feeding         71%         48%         52%         86%         100%           % Young women who requested pads         78%         58%         71%         90%         95%           % of those who requested pads that received pads         100%         100%         100%		90%	67%	95%	100%	100%
% pregnant young women who requested ante-natal check-up         100%		96%	100%	95%	90%	100%
% pregnant young women who received ante-natal check-up         100%         73%         52%         52%         81%         100%		29%	13%	0%	52%	55%
% pregnant women who requested prevention of mother-to-child transmission (PMICT)         100%         100%         100%         100%         100%         100%         100%         100%         100%         100%         100%         100%         100%         100%         100%         100%         91%         73%         %         %         73%         %         73%         %         91%         100%<		100%	100%		100%	100%
transmission (PMTCT)         8 44%         100%         91%         73%           % Young women who requested post-natal care         71%         52%         52%         81%         100%           % Young women who requested post natal care who received post-natal care         98%         100%         91%         100%         100%           % Young women who requested post natal care who received post-natal care         88%         100%         91%         100%         100%         94%         100%         100%         94%         100%         100%         94%         100%         100%         94%         100%         100%         94%         100%         100%         94%         100%         100%         94%         100%         100%         94%         100%         100%         94%         100%		100%	100%		100%	100%
% pregnant women who requested PMTCT that received PMTCT         84%         100%         91%         73%           % Young women who requested post-natal care         71%         52%         52%         81%         100%           % Young women who requested post natal care who received post-natal care         98%         100%         91%         100%         100%           % Young women who requested help with breast feeding         71%         48%         52%         86%         100%           % Young women who requested help with breast feeding         71%         48%         52%         86%         100%           % Young women who requested help with breast feeding         71%         48%         52%         86%         100%           % Young women who requested help with breast feeding         71%         48%         52%         86%         100%           % Young women who requested pads that received help with breast feeding         71%         98%         100%         100%         90%         95%         95%         95%         95%         95%         95%         95%         95%         95%         95%         95%         95%         95%         95%         95%         95%         95%         95%         100%         100%         100%         100%		100%	100%		100%	100%
% Young women who requested post-natal care         71%         52%         52%         81%         100%           % Young women who requested post natal care who received post-natal care         98%         100%         91%         100%         100%           % Young women who requested help with breast feeding         71%         48%         52%         86%         100%           % Young women who requested that received help with breast feeding         98%         100%         100%         94%         100%           Menstrual health         78%         58%         71%         90%         95%           % of those who requested pads that received pads         100%         100%         100%         95%           % of those who requested male circumcision         86%         91%         100%         100%         47%           % Young men who requested male circumcision received an appointment         99%         100%         100%         95%         100%           % youth who requested PREP         85%         100%         96%         68%         75%           % youth who received PREP         90%         100%         90%         70%           % who requested who received PEP         95%         100%         90%         70%           % of those who r	, ,	84%	100%		91%	73%
% Young women who requested post natal care who received post-natal care         98%         100%         91%         100%         100%           % Young women who requested help with breast feeding feeding         71%         48%         52%         86%         100%           % Young women who requested that received help with breast feeding         98%         100%         100%         94%         100%           Menstrual health         78%         58%         71%         90%         95%           % of those who requested pads that received pads         100%         100%         100%         100%           % of those who requested male circumcision         86%         91%         100%         100%         47%           % Young men who requested male circumcision received an appointment         99%         100%         100%         95%         100%           % youth who requested PREP         85%         100%         96%         68%         75%           % youth who requested post-exposure prophylaxis (PEP)         86%         100%         93%         78%         70%           % who requested HIV fest         98%         100%         100%         97%         75%           % who requested Who received HIV fest         85%         100%         91%         80%				52%		
Post-natal care						
% Young women who requested help with breast feeding         71%         48%         52%         86%         100%           % Young women who requested that received help with breast feeding         98%         100%         100%         94%         100%           Menstrual health         **Young women who requested pads that received pads         78%         58%         71%         90%         95%           % of those who requested pads that received pads         100%         100%         100%         100%         100%           **IV and AIDS and STI         **Young men who requested male circumcision         86%         91%         100%         100%         47%           % of those who requested male circimcision received an appointment         99%         100%         100%         95%         100%           % youth who requested PREP         85%         100%         96%         68%         75%           % youth who requested post-exposure prophylaxis (PEP)         86%         100%         93%         78%         70%           % who requested HV test         98%         100%         93%         78%         70%           % who requested HV test         85%         98%         100%         97%         75%           % who requested Who received SII test	·	70,0	100/0	7170	10070	100/0
% Young women who requested that received help with breast feeding       98%       100%       94%       100%         Menstrual health         % Young women who requested pads       78%       58%       71%       90%       95%         % of those who requested pads that received pads       100%       100%       100%       100%       100%         HIV and AIDS and STI         % Young men who requested male circumcision       86%       91%       100%       100%       47%         % of those who requested PREP       85%       100%       96%       68%       75%         % youth who requested PREP       85%       100%       96%       68%       75%         % who requested post-exposure prophylaxis (PEP)       86%       100%       93%       78%       70%         % of those who requested who received PEP       95%       100%       100%       97%       75%         % who requested HIV test       88%       100%       98%       93%         % of those who requested who received HIV test       85%       98%       91%       80%       68%         % who requested STI test       94%       100%       91%       98%       85%         % who requested who received STI test <t< td=""><td></td><td>71%</td><td>48%</td><td>52%</td><td>86%</td><td>100%</td></t<>		71%	48%	52%	86%	100%
feeding         Menstrual health           % Young women who requested pads         78%         58%         71%         90%         95%           % of those who requested pads that received pads         100%         100%         100%         100%         100%           HIV and AIDS and STI           % Young men who requested male circumcision         86%         91%         100%         100%         47%           % of those who requested PREP         85%         100%         95%         100%           % youth who requested PREP         85%         100%         96%         68%         75%           % youth who requested post-exposure prophylaxis (PEP)         86%         100%         93%         78%         70%           % of those who requested who received PEP         95%         100%         100%         97%         75%           % who requested HIV test         98%         100%         100%         97%         75%           % who requested who received HIV test         85%         98%         91%         80%         88%           % who requested who received STI test         94%         100%         91%         98%         85%           % who requested who received ARVs         89%         100%         <						
Menstrual health         % Young women who requested pads         78%         58%         71%         90%         95%           % of those who requested pads that received pads         100%         100%         100%         100%         100%           HIV and AIDS and STI           % Young men who requested male circumcision         86%         91%         100%         100%         47%           % of those who requested male circimcision received an appointment         99%         100%         100%         95%         100%           % youth who requested PREP         85%         100%         96%         68%         75%           % youth who requested post-exposure prophylaxis (PEP)         86%         100%         93%         78%         70%           % who requested who requested who received PEP         95%         100%         100%         97%         75%           % who requested HIV test         98%         100%         100%         98%         93%           % of those who requested who received HIV test         85%         98%         91%         80%         68%           % who requested STI test         94%         100%         91%         98%         85%           % who requested who received STI test         89% <td< td=""><td>·</td><td>,.</td><td></td><td></td><td>,,</td><td></td></td<>	·	,.			,,	
% Young women who requested pads         78%         58%         71%         90%         95%           % of those who requested pads that received pads         100%         100%         100%         100%           HIV and AIDS and STI           % Young men who requested male circumcision         86%         91%         100%         100%         47%           % of those who requested male circimcision received an appointment         99%         100%         100%         95%         100%           % youth who requested PREP         85%         100%         96%         68%         75%           % youth who requested post-exposure prophylaxis (PEP)         86%         100%         93%         78%         70%           % who requested who received PEP         95%         100%         100%         97%         75%           % who requested HIV test         98%         100%         100%         98%         93%           % of those who requested who received HIV test         85%         98%         91%         80%         68%           % who requested STI test         94%         100%         91%         98%         85%           % who requested who received STI test         89%         100%         80%         83%         91% </td <td>ů –</td> <td></td> <td></td> <td></td> <td></td> <td></td>	ů –					
% of those who requested pads that received pads       100%       100%       100%       100%         HIV and AIDS and STI         % Young men who requested male circumcision       86%       91%       100%       100%       47%         % of those who requested male circimcision received an appointment       99%       100%       100%       95%       100%         % youth who requested PREP       85%       100%       96%       68%       75%         % youth who requested post-exposure prophylaxis (PEP)       86%       100%       93%       78%       70%         % who requested post-exposure prophylaxis (PEP)       86%       100%       93%       78%       70%         % of those who requested who received PEP       95%       100%       100%       97%       75%         % who requested HIV test       98%       100%       100%       98%       93%         % of those who requested who received HIV test       85%       98%       91%       80%       68%         % who requested STI test       94%       100%       91%       98%       85%         % who requested who received STI test       89%       100%       80%       83%       91%         % who requested anti-retrovirals (ARVs)       42%		78%	58%	71%	90%	95%
## Young men who requested male circumcision						
% of those who requested male circimcision received an appointment       99%       100%       100%       95%       100%         % youth who requested PREP       85%       100%       96%       68%       75%         % youth who received PREP       90%       100%       100%       79%       70%         % who requested post-exposure prophylaxis (PEP)       86%       100%       93%       78%       70%         % of those who requested who received PEP       95%       100%       100%       97%       75%         % who requested HIV test       98%       100%       100%       98%       93%         % of those who requested who received HIV test       85%       98%       91%       80%       68%         % who requested STI test       94%       100%       91%       98%       85%         % who requested who received STI test       89%       100%       80%       83%       91%         % who requested anti-retrovirals (ARVs)       42%       45%       4%       51%       70%         % who requested who received ARVs       81%       100%       0%       81%       71%						
% of those who requested male circimcision received an appointment       99%       100%       100%       95%       100%         % youth who requested PREP       85%       100%       96%       68%       75%         % youth who received PREP       90%       100%       100%       79%       70%         % who requested post-exposure prophylaxis (PEP)       86%       100%       93%       78%       70%         % of those who requested who received PEP       95%       100%       100%       97%       75%         % who requested HIV test       98%       100%       100%       98%       93%         % of those who requested who received HIV test       85%       98%       91%       80%       68%         % who requested STI test       94%       100%       91%       98%       85%         % who requested who received STI test       89%       100%       80%       83%       91%         % who requested anti-retrovirals (ARVs)       42%       45%       4%       51%       70%         % who requested who received ARVs       81%       100%       0%       81%       71%		86%	91%	100%	100%	47%
appointment         85%         100%         96%         68%         75%           % youth who requested PREP         85%         100%         100%         79%         70%           % who requested post-exposure prophylaxis (PEP)         86%         100%         93%         78%         70%           % of those who requested who received PEP         95%         100%         100%         97%         75%           % who requested HIV test         98%         100%         100%         98%         93%           % of those who requested who received HIV test         85%         98%         91%         80%         68%           % who requested STI test         94%         100%         91%         98%         85%           % who requested who received STI test         89%         100%         80%         83%         91%           % who requested anti-retrovirals (ARVs)         42%         45%         4%         51%         70%           % who requested who received ARVs         81%         100%         0%         81%         71%						
% youth who received PREP       90%       100%       100%       79%       70%         % who requested post-exposure prophylaxis (PEP)       86%       100%       93%       78%       70%         % of those who requested who received PEP       95%       100%       100%       97%       75%         % who requested HIV test       98%       100%       100%       98%       93%         % of those who requested who received HIV test       85%       98%       91%       80%       68%         % who requested STI test       94%       100%       91%       98%       85%         % who requested who received STI test       89%       100%       80%       83%       91%         % who requested anti-retrovirals (ARVs)       42%       45%       4%       51%       70%         % who requested who received ARVs       81%       100%       0%       81%       71%	appointment					
% youth who received PREP       90%       100%       100%       79%       70%         % who requested post-exposure prophylaxis (PEP)       86%       100%       93%       78%       70%         % of those who requested who received PEP       95%       100%       100%       97%       75%         % who requested HIV test       98%       100%       100%       98%       93%         % of those who requested who received HIV test       85%       98%       91%       80%       68%         % who requested STI test       94%       100%       91%       98%       85%         % who requested who received STI test       89%       100%       80%       83%       91%         % who requested anti-retrovirals (ARVs)       42%       45%       4%       51%       70%         % who requested who received ARVs       81%       100%       0%       81%       71%	% youth who requested PREP	85%	100%	96%	68%	75%
% who requested post-exposure prophylaxis (PEP)       86%       100%       93%       78%       70%         % of those who requested who received PEP       95%       100%       100%       97%       75%         % who requested HIV test       98%       100%       100%       98%       93%         % of those who requested who received HIV test       85%       98%       91%       80%       68%         % who requested STI test       94%       100%       91%       98%       85%         % who requested who received STI test       89%       100%       80%       83%       91%         % who requested anti-retrovirals (ARVs)       42%       45%       4%       51%       70%         % who requested who received ARVs       81%       100%       0%       81%       71%						
% of those who requested who received PEP       95%       100%       100%       97%       75%         % who requested HIV test       98%       100%       100%       98%       93%         % of those who requested who received HIV test       85%       98%       91%       80%       68%         % who requested STI test       94%       100%       91%       98%       85%         % who requested who received STI test       89%       100%       80%       83%       91%         % who requested anti-retrovirals (ARVs)       42%       45%       4%       51%       70%         % who requested who received ARVs       81%       100%       0%       81%       71%	•					
% who requested HIV test       98%       100%       100%       98%       93%         % of those who requested who received HIV test       85%       98%       91%       80%       68%         % who requested STI test       94%       100%       91%       98%       85%         % who requested who received STI test       89%       100%       80%       83%       91%         % who requested anti-retrovirals (ARVs)       42%       45%       4%       51%       70%         % who requested who received ARVs       81%       100%       0%       81%       71%						
% of those who requested who received HIV test       85%       98%       91%       80%       68%         % who requested STI test       94%       100%       91%       98%       85%         % who requested who received STI test       89%       100%       80%       83%       91%         % who requested anti-retrovirals (ARVs)       42%       45%       4%       51%       70%         % who requested who received ARVs       81%       100%       0%       81%       71%	·					
% who requested STI test       94%       100%       91%       98%       85%         % who requested who received STI test       89%       100%       80%       83%       91%         % who requested anti-retrovirals (ARVs)       42%       45%       4%       51%       70%         % who requested who received ARVs       81%       100%       0%       81%       71%						
% who requested who received STI test       89%       100%       80%       83%       91%         % who requested anti-retrovirals (ARVs)       42%       45%       4%       51%       70%         % who requested who received ARVs       81%       100%       0%       81%       71%						
% who requested anti-retrovirals (ARVs)42%45%4%51%70%% who requested who received ARVs81%100%0%81%71%	·					
% who requested who received ARVs 81% 100% 0% 81% 71%	· ·					
	. ,					
	· ·	92%	89%	100%	88%	90%

www.genderlinks.org.za