

MOGALE CITY COUNCIL RAPID ASSESSMENT OF ADOLESCENT SEXUAL AND REPRODUCTIVE HEALTH (ASRHR)



JANUARY 2022

This fact sheet is a summary of the findings of the ASRHR Rapid Assessment undertaken in Mogale City Council as part of an eight-country study¹ from November 2019 to December 2020. The research aims to strengthen youth-led and focused efforts to promote ASRHR through gender and youth responsive local governance. Gender Links South Africa conducted the study in 29 Centers of Excellence for Gender in Local Government.² In Mogale City, the study covered 3 clinics; 121 respondents: 50% young women and 50% young men (see table overleaf). This fact sheet should be read together with the South Africa and the Southern Africa ASRHR Rapid Assessment research pamphlets. Key findings include:

Accessibility

- Sixty-four percent of respondents reported being within 10 km of a clinic.
- Responses to whether the clinics open after school were high at 87%.
- Only 29% of respondents, said that clinics open during weekends.
- The majority (86%) of respondents said that the clinic had a comfortable waiting area.
- None of the clinics charged fees for their services.

Quality of care

- The majority (91%) of respondents said they were treated with respect.
- Ninety-five percent of young people indicated that there was privacy at the clinics.
- Ninety percent of respondents said they were treated with confidentiality.

- Less than half (48%) of respondents said that clinics did not require their parents to be present.
- Eighty-five percent of young people indicated that health workers spent sufficient time with them.
- Eighty-three percent of young people said they received appropriate information. Availability of information is a key component of ASRHR that gives young people a #VoiceandChoice.

Sexual and reproductive health services

- Over a third (34%) percent of young people requested contraceptives. The majority (97%) of those who requested contraceptives received them. This relatively low percentage of young people requesting contraceptives is worrying as access to contraceptives is key to ensure that ASRH is prioritised.
- Only 29% of young women requested a pregnancy test and 88% of them received it. Fifteen percent of young women were pregnant at that time.
- At 58%, the overall demand for male circumcision, which has been shown to reduce the spread of HIV and AIDS, is relatively higher. It is encouraging that all of those who requested male circumcision received an appointment.
- Only 13% of youth requested PREP while only 4% requested post-exposure prophylaxis (PEP).
- Over a third (37%) of respondents requested an HIV test. All those who asked for this test received it.
- A relatively high percentage of respondents (63% overall) said health workers asked about their mental health. This is encouraging, as ASRHR and mental health are closely linked.
- Eighty-one percent of young people said that a follow-up appointment was set up whilst 75% of young people were referred to a relevant facility.

Botswana, Eswatini, Lesotho, Madagascar, Mauritius, South Africa, Zambia and

Botswaria, Eswaria, Leszano, Masagas Eswaria, Roman Bay, Emfuleni, Friemersheim, Great Brak, Harlenbos, Herbertsdale, Joburg City-Orange Farm-Region G, Joburg City-Soweto-Region D, Joe Slovo, Kwanonqaba, Lepelle Nkumpi, Midvaal, Mogale City, Molemole, Mossel Bay, Polokwane, Sonskyn Valley, eThekwini Ward 101, eThekwini Ward 11, eThekwini Ward 26, eThekwini Ward 31, eThekwini Ward 34, eThekwini Ward 68, eThekwini Ward 98 (Umkomaas), eThekwini Ward 98 (Umnini).

FOR MORE INFORMATION go to:

https://genderlinks.org.za/what-we-do/governance/local-action-for-voice-and-choice/

Contact details: Gender Links South Africa Address: 9 Derrick Avenue, Cyrildene, Johannesburg, 2198 Tel: +27(0)11 029 0006 / +27(0)11 028 2410







Table Tabl					i i
\$ famale	Indicator	Mogale City		Fanyana Nhlapho	Tshepisong Clinic
8 gender nan-conforming 08 05 08 08 8 male 50% 49% 51% 51% Logital information on health localities 49% 51% 51% Health Incellity within 10km from your home \$ 64% 56% 63% 74% The facility popers actins school \$ 97% 94% 22% 37% The facility popers on well-worked \$ 95% 24% 32% 37% Does the facility change of seel \$ 35% 05 05 05 Does the facility change of seel \$ 85% 05 05 05 Poer counsplicits overlooke \$ 42% 42% 45% 98% Young people the seed of without porent present \$ 91% 93% 67% 92% Young people resterated without porent present \$ 91% 93% 67% 92% Young people resterated without porent present \$ 91% 93% 67% 92% Young people resterated without porent present \$ 91% 93% 67% 92% Young	Total sample	121	41	41	39
Simple	% female	50%	51%	49%	49%
Logistic Information on health facilities	% gender non-conforming				
Feath facility within 10km from your home % 64% 55% 63% 74%	% male	50%	49%	51%	51%
Time facility opens of the richord ?	Logistic information on health facilities				
The facility opens on weekends? \$	Health facility within 10km from your home %	64%	56%	63%	74%
Time facility has a confinatable waiting and consultation area? \$ 86% 93% 82% 85% 85% 85% 85% 85% 85% 86% 85	The facility opens after school? %	87%	94%	62%	100%
Dees the facility charge or fee? %		29%	24%	32%	37%
None None None None None Outlify of care		86%	93%	82%	85%
Continued Cont	Does the facility charge a fee? %	0%	0%	0%	0%
Peer counsellots ovalidable % 42% 42% 44% 38% Young people treated withrout parent present % 48% 49% 42% 52% Young people are freated withrout parent present % 48% 49% 42% 52% Young people have princycy % 99% 99% 91% 99% Young people have confidentially % 90% 93% 88% 92% Health workers spend sufficient time with young people % 85% 90% 92% 82% Health workers spend sufficient time with young people % 85% 90% 92% 82% Young people who requested confraceplives 83% 88% 76% 82% Young people who requested confraceplives that received 97% 94% 100% 100% X Young women who requested a pregnancy lest 29% 38% 27% 21% X Young women who requested a pregnant woung women who requested anti-notal check-up 100% 100% 100% 100% X pregnant young women who requested PMICT that received PMICT 100% 0 100% 100% <t< td=""><td>Average fee in USD</td><td>None</td><td>None</td><td>None</td><td>None</td></t<>	Average fee in USD	None	None	None	None
Young people freated with respect % 91% 93% 87% 92% Young people are freated without parent present % 48% 44% 42% 52% Young people have privacy % 95% 95% 98% 91% 95% Young people have confidentiality % 90% 92% 86% 92% Health workers spend sufficient film with young people % 85% 90% 82% 82% Young people receive appropriate information % 83% 88% 76% 85% Seval and reproductive health services (%) 84% 41% 30% 28% Seval and reproductive health services (%) 94% 100% 100% X Young people who requested contraceptives 34% 41% 30% 28% X Young women who requested a pregnancy lest 29% 38% 27% 21% X Young women who requested a pregnancy lest 88% 100% 75% 75% X Young women who requested people and a feed ante-natal check-up 100% 100% 100% 100% X Young women who requested people p	Quality of care				
Young people are treated without parent present % 48% 49% 42% 52% Young people have yorkov? % 95% 95% 91% 95% Young people have confidentiality % 90% 93% 86% 92% Health workers spend sufficient time with young people % 85% 90% 62% 82% Young people receive appropriate information % 83% 88% 76% 85% Sexual and reproductive health services (%) **** **** **** **** \$2% 32% \$2% <td>Peer counsellors available %</td> <td>42%</td> <td>42%</td> <td>46%</td> <td>38%</td>	Peer counsellors available %	42%	42%	46%	38%
Young people have privacy \(^8\)	Young people treated with respect %	91%	93%	87%	92%
Young people have confidentiality % 90% 93% 86% 92% Health workers spend sufficient lime with young people % 83% 90% 82% 82% Young people receive appropriate information % 83% 88% 70% 85% Activated health ************************************	Young people are treated without parent present %	48%	49%	42%	52%
Health workers spend sufficient time with young people % 85% 90% 82% 76% 85%		95%	98%	91%	95%
Young people receive appropriate information % 83% 88% 76% 85%	·	90%	93%	86%	92%
Sexual and reproductive health services (%)	Health workers spend sufficient time with young people $\%$	85%	90%	82%	82%
## Young women who requested prevention of mother-to-child pregnant women who requested post-notal care who received PMICT that received post-notal care who requested help with breast feeding women who requested help with breast feeding women who requested post-notal care who requested help with breast feeding women who requested post-notal care who requested help with breast go for those who requested post- notal care who requested help with breast go for those who requested post- notal care who requested help with breast go for those who requested post- notal care who requested post- notal care who requested post- notal care who requested help with breast go for those who requested post- notal care who requested help with breast go for those who requested post- notal care who requested help with breast go for those who requested post- notal care who received help with breast go for those who requested post- notal care who received help with breast go for those who requested post- notal care who received help with breast go for those who requested post- notal care who received help with breast go for those who requested post- notal care who received help with breast go for those who requested post- notal care who received help with breast go for those who requested post- notal care who received help with breast go for those who requested post- notal care who received help with breast go for those who requested post- notal care who received help with breast go for those who requested post- notal care who received help with breast go for those who requested post- notal care who received help with breast go for those who requested post- notal care who received help with breast go for those who requested male circumcision who received for the notal care who received for	Young people receive appropriate information %	83%	88%	76%	85%
% Young people who requested contraceptives 34% 41% 30% 28% % Young people who requested contraceptives that received contraceptives 97% 94% 100% 100% % Young women who requested a pregnancy test 29% 38% 27% 21% % Young women who received a pregnancy test 88% 100% 75% 75% % Young women who received a pregnant 15% 10% 13% 21% % Pregnant young women who requested ante-natal check-up 100% 100% 100% 100% % pregnant young women who requested prevention of mother-to-child transmission (PMICT) 25% 0% 100% 100% % Young women who requested post-natal care 10% 10% 10% 0% % Young women who requested post natal care who received 100% 100% 0% % Young women who requested help with breast feeding 4% 5% 0% 6% % Young women who requested help with breast feeding 4% 5% 0% 6% % Young women who requested pads 50% 75% 0% 50% <td></td> <td></td> <td></td> <td></td> <td></td>					
% Young people who requested contraceptives that received contraceptives 97% 94% 100% 100% contraceptives 100% 100% 100% 21% 21% % Young women who requested a pregnancy test 88% 100% 75% 75% 75% % Young women who received a pregnancy test 88% 100% 75% 75% % Young women who received a pregnancy test 88% 100% 75% 75% 75% % Young women who requested ante-natal check-up 100%		0.497	10.07	2007	2007
contraceptives % Young women who requested a pregnancy test 29% 38% 27% 21% % Young women who received a pregnancy test 88% 100% 75% 75% % Young women who were pregnant 11% 10% 13% 21% % Pregnant young women who requested ante-natal check-up 100% 100% 100% 100% % pregnant young women who requested prevention of mother-to-child transmission (PMTCT) 80% 100% 0% 0% % Pregnant women who requested PMTCT that received PMTCT 100% 100% 100% 0% % Young women who requested post natal care 10% 10% 7% 12% % Young women who requested post natal care who received post natal care 10% 100% 0% % Young women who requested help with breast feeding 4% 5% 0% 6% % Young women who requested pads 16% 19% 15% 12% % Young women who requested pads that received pads 5% 75% 0% 50% **Young women who requested male circumcision 58% 60% 71%					
% Young women who received a pregnancy test 88% 100% 75% 75% % Young women who were pregnant 15% 10% 13% 21% % pregnant young women who requested ante-natal check-up 100% 100% 100% % pregnant young women who received ante-natal check-up 100% 100% 100% % pregnant women who requested prevention of mother-to-child transmission (PMICT) 25% 0% 100% 0% % pregnant women who requested PMICT that received PMICT 100% 100% 100% 12% % Young women who requested post-natal care 10% 10% 7% 12% % Young women who requested post natal care who received post-natal care 100% 100% 0% % Young women who requested help with breast feeding 4% 5% 0% 6% % Young women who requested pads 16% 19% 15% 12% % of those who requested pads that received pads 5% 75% 0% 50% **IV and AlDS and SI **** Young men who requested male circumcision 58% 60% 71% 45%		9/%	94%	100%	100%
% Young women who were pregnant 15% 10% 13% 21% % pregnant young women who requested ante-natal check-up 100% 100% 100% 100% % pregnant young women who requested prevention of mother-to-child pregnant women who requested prevention of mother-to-child pregnant women who requested PMTCT that received PMTCT 100% 100% 0% % Young women who requested PMTCT that received PMTCT 100% 10% 7% 12% % Young women who requested post-natal care 100% 100% 0% 0% % Young women who requested post natal care who received post-natal care 100% 100% 0% 0% % Young women who requested post natal care who received post-natal care 4% 5% 0% 6% 0% % Young women who requested post that received help with breast feeding 4% 5% 0% 6% 0% 6% 0% 6% 0% 15% 12% 12% 12% 12% 12% 12% 12% 12% 12% 12% 12% 12% 12% 12% 12% 12% 12% 12% 1	% Young women who requested a pregnancy test	29%	38%	27%	21%
% pregnant young women who requested ante-natal check-up 100% 100% 100% % pregnant young women who received ante-natal check-up 100% 100% 100% % pregnant women who requested prevention of mother-to-child transmission (PMTCT) 25% 0% 100% 0% % young women who requested post-natal care 10% 10% 7% 12% % Young women who requested post-natal care who received post-natal care 100% 100% 100% 0% % Young women who requested post natal care who received post-natal care 100% 100% 100% 0% % Young women who requested help with breast feeding 4% 5% 0% 6% % Young women who requested that received help with breast feeding 100% 100% 0% 0% **Young women who requested pads 16% 19% 15% 12% **Young women who requested pads that received pads 50% 75% 0% 50% **Young women who requested male circumcision 58% 60% 71% 45% **Young women who requested male circumcision 58% 60% 7	% Young women who received a pregnancy test	88%	100%	75%	75%
% pregnant young women who received ante-natal check-up 100% 100% 100% % pregnant women who requested prevention of mother-to-child transmission (PMTCT) 25% 0% 100% 0% % pregnant women who requested PMTCT that received PMTCT 100% 100% 100% 2% % Young women who requested post-natal care 10% 10% 100% 0% % Young women who requested post natal care who received 100% 100% 100% 0% % Young women who requested help with breast feeding 24% 5% 0% 6% % Young women who requested help with breast feeding 34% 100% 100% 0% % Young women who requested help with breast feeding 34% 100% 100% 0% % Young women who requested pads 35 10% 100% 0% 50% % of those who requested pads that received pads 350 50% 75% 0% 50% % of those who requested male circumcision 350 58% 60% 71% 45% % of those who requested male circumcision received an appointment 350 100% 100% 100% 100% %	% Young women who were pregnant	15%	10%	13%	21%
% pregnant women who requested prevention of mother-to-child transmission (PMTCT) 25% 0% 100% 0% % pregnant women who requested PMTCT 100% 100% 7% 12% % Young women who requested post-natal care 10% 10% 100% 0% % Young women who requested post natal care who received post-natal care 100% 100% 100% 0% % Young women who requested help with breast feeding 4% 5% 0% 6% % Young women who requested help with breast feeding 100% 100% 0% 6% % Young women who requested help with breast feeding 4% 5% 0% 6% % Young women who requested help with breast feeding 100% 100% 0% 6% % Young women who requested help with breast feeding 4% 5% 0% 5% 0% 5% 0% 5% 0% 5% 0% 5% 0% 5% 0% 5% 0% 5% 0% 50% 50% 50% 50% 50% 50% 50% 50% 50%	% pregnant young women who requested ante-natal check-up	100%	100%	100%	100%
transmission (PMTCT) % pregnant women who requested PMTCT that received PMTCT 100% 100% % Young women who requested post-natal care 10% 10% 7% 12% % Young women who requested post natal care who received post-natal care 100% 100% 100% 0% % Young women who requested help with breast feeding % 4% 5% 0% 6% % Young women who requested that received help with breast feeding leeding 100% 100% 0% 6% % Young women who requested that received help with breast feeding leeding 100% 100% 0% 6% % Young women who requested pads 16% 19% 15% 12% 0% 50% <	% pregnant young women who received ante-natal check-up	100%	100%	100%	100%
% pregnant women who requested PMTCT that received PMTCT 100% 100% 12% % Young women who requested post-natal care 10% 10% 7% 12% % Young women who requested post natal care who received post-natal care 100% 100% 100% 0% x Young women who requested help with breast feeding 4% 5% 0% 6% % Young women who requested help with breast feeding 100% 100% 0% Menstrual health 100% 15% 12% 0% % Young women who requested pads that received pads 50% 75% 0% 50% hIV and AIDS and SII 12% 50% 75% 0% 50% % Young men who requested male circumcision 58% 60% 71% 45% % of those who requested male circumcision received an appointment 100% 100% 100% 100% % youth who requested PREP 13% 10% 21% 11% 10% % youth who requested post-exposure prophylaxis (PEP) 4% 7% 0% 3% % of those who requeste		25%	0%	100%	0%
% Young women who requested post-natal care 10% 10% 7% 12% % Young women who requested post natal care who received post-natal care 100% 100% 100% 0% % Young women who requested help with breast feeding teeding 4% 5% 0% 6% % Young women who requested that received help with breast feeding 100% 100% 0% 6% % Young women who requested pads that received pads 16% 19% 15% 12% % of those who requested pads that received pads 50% 75% 0% 50% % Young men who requested male circumcision 58% 60% 71% 45% % for those who requested male circumcision received an appointment 100% 100% 100% 100% % youth who requested PREP 13% 10% 21% 11% % youth who requested who received PREP 92% 100% 80% 100% % who requested who received PEP 100% 100% 3% 6f those who requested who received PEP 100% 100% 100% 100% % who requested HI	,	100%		100%	
% Young women who requested post natal care who received post-natal care 100% 100% 0% % Young women who requested help with breast feeding feeding 4% 5% 0% 6% % Young women who requested that received help with breast feeding 100% 100% 0% 6% % Young women who requested pads 16% 19% 15% 12% % of those who requested pads that received pads 50% 75% 0% 50% HIV and AIDS and STI 8 60% 71% 45% % Young men who requested male circumcision 58% 60% 71% 45% % of those who requested male circumcision received an appointment 100% 100% 100% 100% % youth who requested PREP 13% 10% 21% 11% % youth who requested post-exposure prophylaxis (PEP) 4% 7% 0% 3% % of those who requested who received PEP 100% 100% 100% 100% % who requested MIV test 37% 37% 44% 33% % of those who requested who received HIV t			10%		1.2%
Post-natal care Section Young women who requested help with breast feeding 4% 5% 0% 6% 6% 6% 6% 6% 6% 6					
% Young women who requested that received help with breast feeding 100% 100% 0% Menstrual health % Young women who requested pads 16% 19% 15% 12% % of those who requested pads that received pads 50% 75% 0% 50% HIV and AIDS and STI % Young men who requested male circumcision 58% 60% 71% 45% % of those who requested male circimcision received an appointment 100% 100% 100% 100% % youth who requested PREP 13% 10% 21% 11% % youth who requested post-exposure prophylaxis (PEP) 4% 7% 0% 3% % of those who requested who received PEP 100% 100% 100% 100% % who requested HIV test 37% 37% 44% 33% % of those who requested who received HIV test 100% 100% 100% % who requested STI test 21% 27% 21% 14% % who requested who received STI test 100% 100% 100% % who requested anti-retrovirals (ARVs) 15% 17% 1		100/6	100/6	100/6	070
% Young women who requested that received help with breast feeding 100% 100% 0% Menstrual health % Young women who requested pads 16% 19% 15% 12% % of those who requested pads that received pads 50% 75% 0% 50% HIV and AIDS and STI % Young men who requested male circumcision 58% 60% 71% 45% % of those who requested male circimcision received an appointment 100% 100% 100% 100% % youth who requested PREP 13% 10% 21% 11% % youth who requested post-exposure prophylaxis (PEP) 4% 7% 0% 3% % of those who requested who received PEP 100% 100% 100% 100% % who requested HIV test 37% 37% 44% 33% % of those who requested who received HIV test 100% 100% 100% % who requested STI test 21% 27% 21% 14% % who requested who received STI test 100% 100% 100% % who requested anti-retrovirals (ARVs) 15% 17% 1	% Young women who requested help with breast feeding	4%	5%	0%	6%
feeding Menstrual health % Young women who requested pads 16% 19% 15% 12% % of those who requested pads that received pads 50% 75% 0% 50% HIV and AIDS and STI ************************************					
% Young women who requested pads 16% 19% 15% 12% % of those who requested pads that received pads 50% 75% 0% 50% HIV and AIDS and STI % Young men who requested male circumcision 58% 60% 71% 45% % of those who requested male circimcision received an appointment 100% 100% 100% 100% % youth who requested PREP 13% 10% 21% 11% % youth who received PREP 92% 100% 80% 100% % who requested post-exposure prophylaxis (PEP) 4% 7% 0% 3% % of those who requested who received PEP 100% 100% 100% 100% % who requested HIV test 37% 37% 44% 33% % of those who requested who received HIV test 100% 100% 100% 100% % who requested STI test 21% 27% 21% 14% % who requested who received STI test 100% 100% 100% 100% % who requested anti-retrovirals (ARVs) 15% 17% 15% 14%	feeding				
% of those who requested pads that received pads 50% 75% 0% 50% HIV and AIDS and STI % Young men who requested male circumcision 58% 60% 71% 45% % of those who requested male circimcision received an appointment 100% 100% 100% 100% % youth who requested PREP 13% 10% 21% 11% % youth who requested post-exposure prophylaxis (PEP) 4% 7% 0% 3% % who requested who requested who received PEP 100% 100% 100% 100% % who requested HIV test 37% 37% 44% 33% % of those who requested who received HIV test 100% 100% 100% 100% % who requested STI test 21% 27% 21% 14% % who requested who received STI test 100% 100% 100% 100% % who requested anti-retrovirals (ARVs) 15% 17% 15% 14% % who requested who received ARVs 100% 100% 100% 100%	Menstrual health				
#IV and AIDS and STI % Young men who requested male circumcision 58% 60% 71% 45% % of those who requested male circimcision received an 100% 100% 100% 100% 100% appointment % youth who requested PREP 13% 10% 21% 11% % youth who received PREP 92% 100% 80% 100% % who requested post-exposure prophylaxis (PEP) 4% 7% 0% 3% % of those who requested who received PEP 100% 100% 100% % who requested HIV test 37% 37% 44% 33% % of those who requested who received HIV test 100% 100% 100% 100% % who requested STI test 21% 27% 21% 14% % who requested who received STI test 100% 100% 100% % who requested anti-retrovirals (ARVs) 15% 17% 15% 14% % who requested who received ARVs 100% 100% 100%	% Young women who requested pads	16%	19%	15%	12%
% Young men who requested male circumcision 58% 60% 71% 45% % of those who requested male circimcision received an appointment 100% 100% 100% 100% % youth who requested PREP 13% 10% 21% 11% % youth who received PREP 92% 100% 80% 100% % who requested post-exposure prophylaxis (PEP) 4% 7% 0% 3% % of those who requested who received PEP 100% 100% 100% 100% % who requested HIV test 37% 37% 44% 33% % of those who requested who received HIV test 100% 100% 100% 100% % who requested STI test 21% 27% 21% 14% % who requested who received STI test 100% 100% 100% 100% % who requested anti-retrovirals (ARVs) 15% 17% 15% 14% % who requested who received ARVs 100% 100% 100% 100%	% of those who requested pads that received pads	50%	75%	0%	50%
% of those who requested male circimcision received an appointment 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 11% 11% 11% 11% 11% 11% 100% 100% 100% 100% 100% 100% 100% 100% 3% 100% 3% 100% 3% 100%<	HIV and AIDS and STI				
appointment 13% 10% 21% 11% % youth who requested PREP 92% 100% 80% 100% % who requested post-exposure prophylaxis (PEP) 4% 7% 0% 3% % of those who requested who received PEP 100% 100% 100% 100% % who requested HIV test 37% 37% 44% 33% % of those who requested who received HIV test 100% 100% 100% 100% % who requested STI test 21% 27% 21% 14% % who requested who received STI test 100% 100% 100% 100% % who requested anti-retrovirals (ARVs) 15% 17% 15% 14% % who requested who received ARVs 100% 100% 100% 100%		58%	60%	71%	45%
% youth who requested PREP 13% 10% 21% 11% % youth who received PREP 92% 100% 80% 100% % who requested post-exposure prophylaxis (PEP) 4% 7% 0% 3% % of those who requested who received PEP 100% 100% 100% % who requested HIV test 37% 37% 44% 33% % of those who requested who received HIV test 100% 100% 100% 100% % who requested STI test 21% 27% 21% 14% % who requested who received STI test 100% 100% 100% 100% % who requested anti-retrovirals (ARVs) 15% 17% 15% 14% % who requested who received ARVs 100% 100% 100% 100%	% of those who requested male circimcision received an	100%	100%	100%	100%
% youth who received PREP 92% 100% 80% 100% % who requested post-exposure prophylaxis (PEP) 4% 7% 0% 3% % of those who requested who received PEP 100% 100% 100% 100% % who requested HIV test 37% 37% 44% 33% % of those who requested who received HIV test 100% 100% 100% 100% % who requested STI test 21% 27% 21% 14% % who requested who received STI test 100% 100% 100% 100% % who requested anti-retrovirals (ARVs) 15% 17% 15% 14% % who requested who received ARVs 100% 100% 100% 100%	appointment				
% who requested post-exposure prophylaxis (PEP) 4% 7% 0% 3% % of those who requested who received PEP 100% 100% 100% 100% % who requested HIV test 37% 37% 44% 33% % of those who requested who received HIV test 100% 100% 100% 100% % who requested STI test 21% 27% 21% 14% % who requested who received STI test 100% 100% 100% 100% % who requested anti-retrovirals (ARVs) 15% 17% 15% 14% % who requested who received ARVs 100% 100% 100% 100%		13%	10%	21%	11%
% of those who requested who received PEP 100% 100% % who requested HIV test 37% 37% 44% 33% % of those who requested who received HIV test 100% 100% 100% 100% % who requested STI test 21% 27% 21% 14% % who requested who received STI test 100% 100% 100% 100% % who requested anti-retrovirals (ARVs) 15% 17% 15% 14% % who requested who received ARVs 100% 100% 100% 100%		92%	100%	80%	100%
% who requested HIV test 37% 37% 44% 33% % of those who requested who received HIV test 100% 100% 100% 100% % who requested STI test 21% 27% 21% 14% % who requested who received STI test 100% 100% 100% 100% % who requested anti-retrovirals (ARVs) 15% 17% 15% 14% % who requested who received ARVs 100% 100% 100% 100%		4%	7%	0%	3%
% of those who requested who received HIV test 100% 100% 100% % who requested STI test 21% 27% 21% 14% % who requested who received STI test 100% 100% 100% 100% % who requested anti-retrovirals (ARVs) 15% 17% 15% 14% % who requested who received ARVs 100% 100% 100% 100%	·	100%	100%		100%
% who requested STI test 21% 27% 21% 14% % who requested who received STI test 100% 100% 100% 100% % who requested anti-retrovirals (ARVs) 15% 17% 15% 14% % who requested who received ARVs 100% 100% 100% 100%		37%	37%	44%	33%
% who requested who received STI test 100% 100% 100% % who requested anti-retrovirals (ARVs) 15% 17% 15% 14% % who requested who received ARVs 100% 100% 100% 100%	% of those who requested who received HIV test	100%	100%	100%	100%
% who requested anti-retrovirals (ARVs) 15% 17% 15% 14% % who requested who received ARVs 100% 100% 100%	·	21%	27%	21%	14%
% who requested anti-retrovirals (ARVs)15%17%15%14%% who requested who received ARVs100%100%100%100%	% who requested who received STI test	100%	100%	100%	100%
	,	15%	17%	15%	14%
% who said Health worker asked about mental health 63% 85% 50% 49%	· · · · · · · · · · · · · · · · · · ·	100%	100%	100%	100%
	% who said Health worker asked about mental health	63%	85%	50%	49%

www.genderlinks.org.za